



MINOS+ All Experimenters' Meeting Report

A.P. Schreckenberger
2015-1-26

Near Detector

- ▶ As many of you know, beam was down due to ground fault
- ▶ CAPID errors and warm channel observed last week
 - ▶ Will continue to monitor
- ▶ A couple DAQ errors appeared, one on shift and one after hours
 - ▶ Both resolved with process resets
- ▶ Power and signal cables in DAQ rack dressed
 - ▶ Special thanks to those involved in this work
 - ▶ The cables look pretty – I saw the pictures



Far Detector

- ▶ That one flat charge injection channel
- ▶ CI Special run performed during beam downtime
- ▶ Voltage readouts also performed on a few channels
 - ▶ Controller card replaced in mainframe 6




MINOS+ Status

Start Date/Time	End Date/Time	Near Detector		Far Detector	
		POT Fraction	Live Time Fraction	POT Fraction	Live Time Fraction
12/1/14 00:00:00	12/8/14 00:00:00	99.3%	98.3%	90.0%	91.0%
12/8/14 00:00:00	12/15/14 00:00:00	99.6%	99.7%	99.8%	99.5%
12/15/14 00:00:00	12/22/14 00:00:00	99.0%	99.0%	99.8%	99.9%
12/22/14 00:00:00	12/29/14 00:00:00	99.5%	99.5%	99.8%	99.6%
12/29/14 00:00:00	1/5/15 00:00:00	99.4%	99.1%	99.3%	98.2%
1/5/15 00:00:00	1/12/15 00:00:00	99.5%	99.6%	98.5%	98.6%
1/12/15 00:00:00	1/19/15 00:00:00	99.7%	95.0%	99.8%	98.8%
1/19/15 00:00:00	1/26/15 00:00:00	0.0%	97.7%	0.0%	93.7%

~ Was beam at the tail end of this week; database archiver to receive poke

POT and Live Time Fractions

ND POT fraction and Live Time Fraction



POT and Live Time Fractions

FD POT Fraction and Live Time Fraction

