

**NuMI-L-337**

# **The MINOS Detectors**

## **Technical Design Report**

Version 1.0

October 1998

### **The MINOS Collaboration**

Argonne - Caltech - Dubna - Fermilab - Harvard - IHEP-Beijing  
Indiana - ITEP-Moscow - Lebedev - Livermore - UC-London  
Minnesota - Oxford - Protvino - Rutherford - Stanford - Sussex  
Texas A&M - Texas-Austin - Tufts - Western Washington

**The MINOS Collaboration**  
**Main Injector Neutrino Oscillation Search**

September 1998

P. Adamson<sup>17</sup>, K.V. Alexandrov<sup>9</sup>, W.W.M. Allison<sup>13</sup>, G.J. Alner<sup>15</sup>, I. Ambats<sup>1</sup>,  
B. Anderson<sup>11</sup>, D.F. Anderson<sup>4</sup>, Yu. Antipov<sup>14</sup>, C. Arroyo<sup>16</sup>, D.S. Ayres<sup>1</sup>, B. Baller<sup>4</sup>,  
B. Barish<sup>2</sup>, P.D. Barnes Jr.<sup>10</sup>, W.L. Barrett<sup>21</sup>, R. H. Bernstein<sup>4</sup>, R.E. Blair<sup>1</sup>, V. Bocean<sup>4</sup>,  
D.J. Boehnlein<sup>4</sup>, D. Bogert<sup>4</sup>, P.M. Border<sup>12</sup>, C. Bower<sup>7</sup>, J. Byrne<sup>17</sup>, T. Chase<sup>12</sup>,  
S. Chernichenko<sup>14</sup>, S. Childress<sup>4</sup>, B.C. Choudhary<sup>2</sup>, J.H. Cobb<sup>13</sup>, J.D. Cossairt<sup>4</sup>,  
H. Courant<sup>12</sup>, P. Cushman<sup>12</sup>, J.W. Dawson<sup>1</sup>, A. Denisov<sup>14</sup>, P.J. Dervan<sup>11</sup>, N. Diaczenko<sup>18</sup>,  
G. Drake<sup>1</sup>, M. Drew<sup>18</sup>, A. Durum<sup>14</sup>, R. Edgecock<sup>15</sup>, V.K. Ermilova<sup>9</sup>, O. Eroshin<sup>14</sup>,  
R. Fahrutdinov<sup>14</sup>, G.J. Feldman<sup>5</sup>, T.H. Fields<sup>4</sup>, D. Fujino<sup>10</sup>, H.R. Gallagher<sup>13</sup>,  
M. Gebhard<sup>7</sup>, Yu. Gilitsky<sup>14</sup>, M.C. Goodman<sup>1</sup>, Yu. Gorin<sup>14</sup>, Yu. Gornushkin<sup>3</sup>,  
M. Graham<sup>12</sup>, N. Grossman<sup>4</sup>, V.J. Guarino<sup>1</sup>, Yu. Gutnikov<sup>14</sup>, R. Halsall<sup>15</sup>, J. Hanson<sup>2</sup>,  
P.G. Harris<sup>17</sup>, E. Hartouni<sup>10</sup>, R. Hatcher<sup>16</sup>, R. Heinz<sup>7</sup>, K. Heller<sup>12</sup>, N. Hill<sup>1</sup>, T. Hu<sup>6</sup>,  
Y. Huang<sup>2</sup>, J. Hylen<sup>4</sup>, M. Ignatenko<sup>3</sup>, G. Irwin<sup>16</sup>, C. James<sup>4</sup>, T. Joffe-Minor<sup>1</sup>, T. Kafka<sup>20</sup>,  
T. Kirichenko<sup>19</sup>, J. Kilmer<sup>4</sup>, H. Kim<sup>2</sup>, V. Kochetkov<sup>14</sup>, G. Koizumi<sup>4</sup>, Z. Krumstein<sup>3</sup>,  
N.N. Kundu<sup>13</sup>, A. Ladran<sup>10</sup>, Y.F. Lai<sup>6</sup>, K. Lang<sup>19</sup>, C. Laughton<sup>4</sup>, P.J. Litchfield<sup>15</sup>,  
N.P. Longley<sup>2</sup>, P. Lucas<sup>4</sup>, S. Madani<sup>15</sup>, V. Makeev<sup>14</sup>, W.A. Mann<sup>20</sup>, H.S. Mao<sup>6</sup>,  
M.L. Marshak<sup>12</sup>, D. Maxam<sup>12</sup>, E.N. May<sup>1</sup>, J.R. Meier<sup>12</sup>, E. Melnikov<sup>14</sup>, G.I. Merzon<sup>9</sup>,  
D.G. Michael<sup>2</sup>, R.H. Milburn<sup>20</sup>, L. Miller<sup>7</sup>, W.H. Miller<sup>12</sup>, S.J. Mishra<sup>5</sup>, J. Morfin<sup>4</sup>,  
L. Mualem<sup>12</sup>, S. Mufson<sup>7</sup>, J. Musser<sup>7</sup>, A. Napier<sup>20</sup>, J.K. Nelson<sup>12</sup>, H. Newman<sup>2</sup>,  
A. Nozdrin<sup>3</sup>, S. O'Day<sup>4</sup>, W. Oliver<sup>20</sup>, A. Olshevski<sup>3</sup>, V. Onuchin<sup>14</sup>, A. Para<sup>4</sup>, G.F. Pearce<sup>15</sup>,  
C.W. Peck<sup>2</sup>, C. Perry<sup>13</sup>, E.A. Peterson<sup>12</sup>, A. Petruhin<sup>14</sup>, D.A. Petyt<sup>15</sup>, R.K. Plunkett<sup>4</sup>,  
L.E. Price<sup>1</sup>, M. Proga<sup>19</sup>, D.R. Pushka<sup>4</sup>, R.A. Rameika<sup>4</sup>, A.L. Read<sup>4</sup>, K. Ruddick<sup>12</sup>,  
R. Rusack<sup>12</sup>, V.A. Ryabov<sup>9</sup>, A. Sadovski<sup>3</sup>, M. Sanchez<sup>20</sup>, J. Schneps<sup>20</sup>, P.V. Schoessow<sup>1</sup>,  
R. Schwienhorst<sup>12</sup>, V. Semenov<sup>14</sup>, B.W. Shen<sup>6</sup>, P.D. Shield<sup>13</sup>, R. Shivane<sup>12</sup>, A. Sisakian<sup>3</sup>,  
W. Smart<sup>4</sup>, V. Smirnitsky<sup>8</sup>, V. Smotriaev<sup>8</sup>, T. Soesbe<sup>19</sup>, A. Soldatov<sup>14</sup>, R. Soltz<sup>10</sup>,  
N.I. Starkov<sup>9</sup>, R. Talaga<sup>1</sup>, J. Thomas<sup>11</sup>, J.L. Thron<sup>1</sup>, D. Tovee<sup>11</sup>, J. Trevor<sup>2</sup>, I. Trostin<sup>8</sup>,  
V.A. Tsarev<sup>9</sup>, L.R. Turner<sup>1</sup>, N. Tyurin<sup>14</sup>, M. Vakili<sup>18</sup>, L. Wai<sup>16</sup>, D. Wall<sup>20</sup>, R.C. Webb<sup>18</sup>,  
A. Wehmann<sup>4</sup>, N. West<sup>13</sup>, R.F. White<sup>17</sup>, S.G. Wojcicki<sup>16†</sup>, D. Wright<sup>10</sup>, X.M. Xia<sup>6</sup>,  
W.G. Yan<sup>6</sup>, and J.C. Yun<sup>4</sup>.

† Spokesman

Argonne<sup>1</sup> - Caltech<sup>2</sup> - Dubna<sup>3</sup> - Fermilab<sup>4</sup> - Harvard<sup>5</sup> - IHEP-Beijing<sup>6</sup> -  
Indiana<sup>7</sup> - ITEP-Moscow<sup>8</sup> - Lebedev<sup>9</sup> - Livermore<sup>10</sup> - UC-London<sup>11</sup> -  
Minnesota<sup>12</sup> - Oxford<sup>13</sup> - Protvino<sup>14</sup> - Rutherford<sup>15</sup> - Stanford<sup>16</sup> - Sussex<sup>17</sup> -  
Texas A&M<sup>18</sup> - Texas-Austin<sup>19</sup> - Tufts<sup>20</sup> - Western Washington<sup>21</sup>

# Contents

|  |            |
|--|------------|
| <b>Executive summary</b>                                       | <b>xi</b>  |
| References . . . . .   | xiii       |
| <b>1 Introduction</b>  | <b>1-1</b> |
| 1.1 Historical overview . . . . .                              | 1-1        |
| 1.2 Organization of the report . . . . .                       | 1-5        |
| Chapter 1 References . . . . .                                 | 1-7        |
| <b>2 Physics motivation</b>                                    | <b>2-1</b> |
| 2.1 Current knowledge of neutrinos . . . . .                   | 2-1        |
| 2.2 Neutrino masses and oscillations . . . . .                 | 2-2        |
| 2.3 Hints for neutrino oscillations . . . . .                  | 2-4        |
| 2.3.1 The dark matter issue . . . . .                          | 2-6        |
| 2.3.2 LSND effect . . . . .                                    | 2-7        |
| 2.3.3 The atmospheric neutrino anomaly . . . . .               | 2-8        |
| 2.3.3.1 The results from water Cerenkov counters . . . . .     | 2-9        |
| 2.3.3.2 Results from the solid gas-chamber detectors . . . . . | 2-11       |
| 2.3.3.3 Upward-going muons . . . . .                           | 2-13       |
| 2.3.3.4 Overview of the $\nu_{atm}$ situation . . . . .        | 2-13       |
| 2.3.4 The solar neutrino deficit . . . . .                     | 2-14       |
| 2.4 New results expected before 2002 . . . . .                 | 2-15       |
| Chapter 2 References . . . . .                                 | 2-18       |
| <b>3 Overview of the experiment</b>                            | <b>3-1</b> |
| 3.1 Guiding design principles . . . . .                        | 3-1        |
| 3.2 Summary of experiment goals and requirements . . . . .     | 3-2        |
| 3.3 Geographical layout of the experiment . . . . .            | 3-5        |
| 3.4 The neutrino beam . . . . .                                | 3-7        |
| 3.5 The near detector . . . . .                                | 3-8        |
| 3.6 The far detector . . . . .                                 | 3-15       |
| 3.7 MINOS physics capabilities . . . . .                       | 3-17       |
| 3.7.1 Accelerator neutrino physics . . . . .                   | 3-17       |
| 3.7.2 Nonaccelerator phenomena . . . . .                       | 3-21       |
| 3.8 Future MINOS options . . . . .                             | 3-22       |
| Chapter 3 References . . . . .                                 | 3-23       |

|  |             |
|--|-------------|
| <b>4 Magnet steel and coils</b>                          | <b>4-1</b>  |
| <b>4.1 Overview</b>                                      | <b>4-1</b>  |
| 4.1.1 The far detector                                   | 4-1         |
| 4.1.2 The near detector                                  | 4-3         |
| 4.1.3 The steel planes                                   | 4-4         |
| 4.1.3.1 Steel plate fabrication                          | 4-4         |
| 4.1.3.2 Steel handling procedures                        | 4-6         |
| 4.1.3.3 Steel plane assembly and mounting                | 4-7         |
| 4.1.4 Steel support structures                           | 4-7         |
| 4.1.5 The magnet coils                                   | 4-8         |
| <b>4.2 Requirements and performance criteria</b>         | <b>4-9</b>  |
| 4.2.1 Goals  | 4-9         |
| 4.2.2 Performance criteria                               | 4-9         |
| 4.2.3 Tasks  | 4-10        |
| <b>4.3 Interfaces with other MINOS systems</b>           | <b>4-11</b> |
| 4.3.1 Scintillator detector planes                       | 4-11        |
| 4.3.2 Near and far detector installation                 | 4-12        |
| 4.3.3 Far detector cavern outfitting                     | 4-12        |
| 4.3.4 Near detector hall                                 | 4-13        |
| <b>4.4 Description of WBS elements</b>                   | <b>4-15</b> |
| <b>4.4.1 Steel plane fabrication (WBS 2.1.1)</b>         | <b>4-15</b> |
| 4.4.1.1 Steel planes                                     | 4-15        |
| 4.4.1.2 Axial restraints                                 | 4-16        |
| 4.4.1.3 Stability of hanging planes                      | 4-17        |
| <b>4.4.2 Steel handling fixtures (WBS 2.1.2)</b>         | <b>4-19</b> |
| 4.4.2.1 Strongbacks                                      | 4-19        |
| 4.4.2.2 Far detector compression devices                 | 4-20        |
| 4.4.2.3 Far detector welding                             | 4-21        |
| 4.4.2.4 Transfer from strongback to rails                | 4-23        |
| 4.4.2.5 Safety   | 4-24        |
| <b>4.4.3 Near detector support structure (WBS 2.1.3)</b> | <b>4-24</b> |
| <b>4.4.4 Magnet coils (WBS 2.1.4)</b>                    | <b>4-24</b> |
| 4.4.4.1 Design and properties of the coils               | 4-24        |
| 4.4.4.2 Magnetic field calibration and monitoring        | 4-27        |
| 4.4.4.3 Far detector coil fabrication and installation   | 4-29        |
| 4.4.4.4 Near detector coil fabrication and installation  | 4-29        |
| 4.4.4.5 Coil cooling systems                             | 4-30        |
| 4.4.4.6 Electrical system                                | 4-30        |
| <b>4.4.5 Detector plane prototypes (WBS 2.1.5)</b>       | <b>4-30</b> |
| 4.4.5.1 Single plane prototype                           | 4-30        |
| 4.4.5.2 Four plane prototypes                            | 4-31        |
| 4.4.5.3 Far detector steel handling                      | 4-32        |
| <b>4.5 Future optimization and engineering</b>           | <b>4-32</b> |
| 4.5.1 Steel plane fabrication                            | 4-32        |
| 4.5.2 Steel handling and mounting fixtures               | 4-32        |

|                                |  |            |
|--------------------------------|--|------------|
| 4.5.3                          | Magnet coil installation . . . . .                                   | 4-33       |
| Chapter 4 References . . . . . |  | 4-33       |
| <b>5</b>                       | <b>Scintillator detector fabrication</b>                             | <b>5-1</b> |
| 5.1                            | Overview . . . . .   | 5-1        |
| 5.1.1                          | Description of the scintillator system . . . . .                     | 5-1        |
| 5.1.2                          | Reasons for selection of solid scintillator . . . . .                | 5-6        |
| 5.1.3                          | Scintillator light output, transmission and detection test . . . . . | 5-7        |
| 5.1.4                          | Calibration systems . . . . .  | 5-8        |
| 5.1.5                          | Description of the scintillator factories . . . . .                  | 5-10       |
| 5.2                            | Requirements and performance criteria . . . . .                      | 5-11       |
| 5.3                            | Interfaces to other MINOS systems . . . . .                          | 5-13       |
| 5.4                            | Description of WBS elements . . . . .                                | 5-13       |
| 5.4.1                          | Scintillator strips (WBS 2.2.1) . . . . .                            | 5-13       |
| 5.4.1.1                        | Description of scintillator strips . . . . .                         | 5-14       |
| 5.4.1.2                        | Performance measurements . . . . .                                   | 5-16       |
| 5.4.2                          | Fibers (WBS 2.2.2) . . . . .   | 5-18       |
| 5.4.2.1                        | WLS fibers . . . . .   | 5-18       |
| 5.4.2.2                        | Clear fibers . . . . .   | 5-20       |
| 5.4.3                          | Scintillator modules (WBS 2.2.3) . . . . .                           | 5-21       |
| 5.4.3.1                        | Design features and requirements . . . . .                           | 5-21       |
| 5.4.3.2                        | Overview of module construction . . . . .                            | 5-22       |
| 5.4.3.3                        | Coupling of fibers to scintillator . . . . .                         | 5-23       |
| 5.4.3.4                        | Light case . . . . .   | 5-24       |
| 5.4.3.5                        | End manifold . . . . .   | 5-25       |
| 5.4.3.6                        | Light injection manifold . . . . .                                   | 5-27       |
| 5.4.3.7                        | Module source calibration tube . . . . .                             | 5-27       |
| 5.4.3.8                        | Coil bypass . . . . .  | 5-28       |
| 5.4.3.9                        | Module mounting hardware . . . . .                                   | 5-28       |
| 5.4.3.10                       | Differences in near detector modules . . . . .                       | 5-29       |
| 5.4.4                          | Photodetectors (WBS 2.2.4) . . . . .                                 | 5-29       |
| 5.4.4.1                        | Photodetector requirements . . . . .                                 | 5-29       |
| 5.4.4.2                        | Baseline photodetector . . . . .                                     | 5-30       |
| 5.4.5                          | Connectors and multiplexing boxes (WBS 2.2.5) . . . . .              | 5-35       |
| 5.4.5.1                        | Fiber connectors . . . . .   | 5-35       |
| 5.4.5.2                        | Multiplexing boxes . . . . .   | 5-37       |
| 5.4.5.3                        | PMT bases and mounting . . . . .                                     | 5-41       |
| 5.4.6                          | Calibration systems (WBS 2.2.6) . . . . .                            | 5-42       |
| 5.4.6.1                        | Laser light distribution . . . . .                                   | 5-42       |
| 5.4.6.2                        | Light injection to photodetectors . . . . .                          | 5-44       |
| 5.4.6.3                        | Radioactive source system . . . . .                                  | 5-45       |
| 5.4.6.4                        | Calibration module . . . . .   | 5-45       |
| 5.4.6.5                        | Cosmic ray muons . . . . .   | 5-46       |
| 5.4.6.6                        | Calibration plan . . . . .   | 5-47       |
| 5.4.7                          | Assembly and testing equipment (WBS 2.2.7) . . . . .                 | 5-48       |

|          |  |            |
|----------|--|------------|
| 5.4.7.1  | Extrusion trimming machine . . . . .                       | 5-48       |
| 5.4.7.2  | WLS fiber gluing machine . . . . .                         | 5-48       |
| 5.4.7.3  | Scintillator/fiber gluing templates . . . . .              | 5-50       |
| 5.4.7.4  | Light case rolling machine . . . . .                       | 5-50       |
| 5.4.7.5  | Module assembly tables . . . . .                           | 5-50       |
| 5.4.7.6  | Assembly table glue mixing machine . . . . .               | 5-51       |
| 5.4.7.7  | Optical connector polishing machine . . . . .              | 5-51       |
| 5.4.7.8  | Curing racks . . . . .                                     | 5-51       |
| 5.4.7.9  | Module mapper . . . . .                                    | 5-51       |
| 5.4.8    | Module factories (WBS 2.2.8) . . . . .                     | 5-53       |
| 5.4.8.1  | Prepare scintillator strips . . . . .                      | 5-53       |
| 5.4.8.2  | Glue WLS fiber and reflective cover to extrusion . . . . . | 5-53       |
| 5.4.8.3  | Prepare light case U channels . . . . .                    | 5-53       |
| 5.4.8.4  | Assemble strips in light case and route fibers . . . . .   | 5-55       |
| 5.4.8.5  | Finish module assembly . . . . .                           | 5-56       |
| 5.4.8.6  | Source map module and light-leak check . . . . .           | 5-56       |
| 5.4.8.7  | Packing and shipping of modules . . . . .                  | 5-56       |
| 5.4.8.8  | MUX box assembly . . . . .                                 | 5-57       |
| 5.4.9    | Management (WBS 2.2.9) . . . . .                           | 5-58       |
| 5.5      | Future optimization and engineering . . . . .              | 5-58       |
| 5.5.1    | Purpose and goals . . . . .                                | 5-58       |
| 5.5.2    | Aging tests . . . . .                                      | 5-61       |
| 5.5.3    | Test beam studies . . . . .                                | 5-61       |
|          | Chapter 5 References . . . . .                             | 5-62       |
| <b>6</b> | <b>Electronics, data acquisition and database</b>          | <b>6-1</b> |
| 6.1      | Overview . . . . .   | 6-1        |
| 6.1.1    | Physics requirements . . . . .                             | 6-2        |
| 6.1.2    | Architecture . . . . .                                     | 6-5        |
| 6.1.3    | Front end units . . . . .                                  | 6-6        |
| 6.1.4    | Hubs and interface crate . . . . .                         | 6-9        |
| 6.1.5    | Central data system and trigger farm . . . . .             | 6-10       |
| 6.1.6    | Trigger farm and event selection software . . . . .        | 6-12       |
| 6.1.7    | GPS timing system . . . . .                                | 6-15       |
| 6.1.8    | Locations of the electronics components . . . . .          | 6-16       |
| 6.1.9    | Minimizing potential noise sources . . . . .               | 6-17       |
| 6.2      | Requirements and performance criteria . . . . .            | 6-18       |
| 6.3      | Interfaces to other MINOS systems . . . . .                | 6-19       |
| 6.3.1    | Connections to the photodetectors . . . . .                | 6-19       |
| 6.3.2    | Location and installation . . . . .                        | 6-21       |
| 6.3.3    | Exchanging information with other systems . . . . .        | 6-22       |
| 6.3.4    | Data links . . . . .                                       | 6-22       |
| 6.3.5    | Power requirements . . . . .                               | 6-22       |
| 6.3.6    | Division of responsibilities among subsystems . . . . .    | 6-23       |
| 6.4      | Description of WBS elements . . . . .                      | 6-23       |

|          |  |            |
|----------|--|------------|
| 6.4.1    | Front end units (WBS 2.3.1) . . . . .                      | 6-23       |
| 6.4.1.1  | Channel electronics . . . . .                              | 6-23       |
| 6.4.1.2  | Measurement circuits . . . . .                             | 6-27       |
| 6.4.1.3  | Ancillary functions . . . . .                              | 6-30       |
| 6.4.1.4  | Mechanical construction . . . . .                          | 6-32       |
| 6.4.2    | Hubs and interface crate (WBS 2.3.2) . . . . .             | 6-34       |
| 6.4.2.1  | Hubs . . . . .   | 6-34       |
| 6.4.2.2  | Interface crate . . . . .                                  | 6-35       |
| 6.4.3    | Central data system and trigger farm (WBS 2.3.3) . . . . . | 6-36       |
| 6.4.3.1  | Hardware organization . . . . .                            | 6-36       |
| 6.4.3.2  | Software algorithms and organization . . . . .             | 6-39       |
| 6.4.3.3  | Interface to the data acquisition system . . . . .         | 6-39       |
| 6.4.4    | Data acquisition system (WBS 2.3.4) . . . . .              | 6-39       |
| 6.4.5    | Database systems (WBS 2.3.5) . . . . .                     | 6-40       |
| 6.4.6    | Auxiliary systems (WBS 2.3.6) . . . . .                    | 6-42       |
| 6.4.6.1  | Monitoring . . . . .                                       | 6-42       |
| 6.4.6.2  | Absolute timing . . . . .                                  | 6-42       |
| 6.5      | Future optimization and engineering . . . . .              | 6-43       |
| 6.5.1    | Front ends . . . . .                                       | 6-43       |
| 6.5.2    | Hubs and interface crate . . . . .                         | 6-44       |
| 6.5.3    | Central system . . . . .                                   | 6-44       |
| 6.5.4    | Trigger farm . . . . .                                     | 6-44       |
| 6.5.5    | Triggered operation . . . . .                              | 6-44       |
| 6.5.6    | Test beam studies . . . . .                                | 6-45       |
|          | Chapter 6 References . . . . .                             | 6-46       |
| <b>7</b> | <b>Far detector installation</b>                           | <b>7-1</b> |
| 7.1      | Overview . . . . .   | 7-1        |
| 7.1.1    | Far detector facilities . . . . .                          | 7-1        |
| 7.1.2    | Soudan infrastructure . . . . .                            | 7-2        |
| 7.1.3    | Detector assembly . . . . .                                | 7-3        |
| 7.1.4    | Testing of scintillator modules . . . . .                  | 7-7        |
| 7.1.5    | Detector operational requirements . . . . .                | 7-7        |
| 7.2      | Technical requirements . . . . .                           | 7-8        |
| 7.3      | Interfaces to other MINOS systems . . . . .                | 7-10       |
| 7.3.1    | Soudan detector halls . . . . .                            | 7-10       |
| 7.3.2    | Soudan steel structures . . . . .                          | 7-11       |
| 7.3.3    | Magnet coil . . . . .                                      | 7-13       |
| 7.3.4    | Scintillator planes . . . . .                              | 7-13       |
| 7.3.5    | Electronics and data acquisition . . . . .                 | 7-14       |
| 7.4      | Description of WBS elements . . . . .                      | 7-14       |
| 7.4.1    | Infrastructure (WBS 2.4.1) . . . . .                       | 7-14       |
| 7.4.1.1  | Surface facilities . . . . .                               | 7-16       |
| 7.4.1.2  | Counting house and office areas . . . . .                  | 7-16       |
| 7.4.1.3  | Mechanical work areas . . . . .                            | 7-17       |

|          |   |            |
|----------|---|------------|
| 7.4.1.4  | Electronics work areas . . . . .                        | 7-17       |
| 7.4.1.5  | Communications . . . . .                                | 7-17       |
| 7.4.1.6  | Environmental control and monitoring . . . . .          | 7-18       |
| 7.4.1.7  | Safety . . . . .  | 7-19       |
| 7.4.2    | Materials handling and testing (WBS 2.4.2) . . . . .    | 7-19       |
| 7.4.2.1  | Moving components to workstations . . . . .             | 7-20       |
| 7.4.2.2  | Storage requirements . . . . .                          | 7-24       |
| 7.4.2.3  | Setup of installation fixtures . . . . .                | 7-26       |
| 7.4.2.4  | Detector support structure . . . . .                    | 7-26       |
| 7.4.3    | Detector assembly (WBS 2.4.3) . . . . .                 | 7-26       |
| 7.4.3.1  | Steel plane assembly . . . . .                          | 7-29       |
| 7.4.3.2  | Detector plane assembly . . . . .                       | 7-31       |
| 7.4.3.3  | Detector plane mounting . . . . .                       | 7-33       |
| 7.4.3.4  | Electronics installation . . . . .                      | 7-35       |
| 7.4.3.5  | Detector plane cabling and certification . . . . .      | 7-35       |
| 7.4.3.6  | Coil assembly, installation and certification . . . . . | 7-36       |
| 7.4.4    | Alignment and survey (WBS 2.4.4) . . . . .              | 7-38       |
| 7.4.5    | Final checkout and validation . . . . .                 | 7-40       |
| 7.5      | Future optimization and engineering . . . . .           | 7-42       |
| 7.5.1    | Trial assembly of prototype planes . . . . .            | 7-42       |
| 7.5.2    | Integration engineering . . . . .                       | 7-44       |
| 7.5.3    | Electrical power and cooling issues . . . . .           | 7-44       |
|          | Chapter 7 References . . . . .                          | 7-46       |
| <b>8</b> | <b>Near detector installation</b>                       | <b>8-1</b> |
| 8.1      | Overview . . . . .                                      | 8-1        |
| 8.1.1    | The near detector facility . . . . .                    | 8-1        |
| 8.1.2    | Design of the near detector . . . . .                   | 8-3        |
| 8.1.3    | Near detector infrastructure . . . . .                  | 8-5        |
| 8.1.4    | Near detector installation . . . . .                    | 8-6        |
| 8.1.5    | Testing of scintillator modules . . . . .               | 8-7        |
| 8.1.6    | Detector operational requirements . . . . .             | 8-7        |
| 8.2      | Technical requirements . . . . .                        | 8-7        |
| 8.3      | Interfaces to other MINOS systems . . . . .             | 8-9        |
| 8.3.1    | NuMI near detector hall . . . . .                       | 8-9        |
| 8.3.2    | Near detector steel structures . . . . .                | 8-9        |
| 8.3.3    | Magnet coil . . . . .                                   | 8-10       |
| 8.3.4    | Scintillator planes . . . . .                           | 8-10       |
| 8.3.5    | Electronics and data acquisition . . . . .              | 8-11       |
| 8.4      | Description of WBS elements . . . . .                   | 8-12       |
| 8.4.1    | Infrastructure (WBS 2.5.1) . . . . .                    | 8-12       |
| 8.4.1.1  | Near hall footprint and layout . . . . .                | 8-12       |
| 8.4.1.2  | Power and cooling requirements . . . . .                | 8-12       |
| 8.4.1.3  | Detector support design . . . . .                       | 8-12       |
| 8.4.1.4  | Work and storage areas setup . . . . .                  | 8-13       |

|          |   |            |
|----------|---|------------|
| 8.4.1.5  | Detector support . . . . .                          | 8-13       |
| 8.4.1.6  | DAQ room . . . . .                                  | 8-13       |
| 8.4.1.7  | Magnet power supply . . . . .                       | 8-13       |
| 8.4.1.8  | Assembly crew training . . . . .                    | 8-13       |
| 8.4.2    | Materials handling (WBS 2.5.2) . . . . .            | 8-14       |
| 8.4.2.1  | Shaft lifting equipment . . . . .                   | 8-14       |
| 8.4.2.2  | Underground transport carts . . . . .               | 8-14       |
| 8.4.2.3  | Assembly fixtures . . . . .                         | 8-14       |
| 8.4.2.4  | Install assembly fixtures . . . . .                 | 8-14       |
| 8.4.2.5  | Transport systems . . . . .                         | 8-14       |
| 8.4.2.6  | Materials delivery . . . . .                        | 8-15       |
| 8.4.3    | Detector assembly (WBS 2.5.3) . . . . .             | 8-15       |
| 8.4.3.1  | Magnet coil . . . . .                               | 8-15       |
| 8.4.3.2  | Scintillator mounting . . . . .                     | 8-16       |
| 8.4.3.3  | Near hall cranes . . . . .                          | 8-16       |
| 8.4.3.4  | Detector electronics mount and cable . . . . .      | 8-16       |
| 8.4.3.5  | Mechanical assembly procedures . . . . .            | 8-16       |
| 8.4.3.6  | Detector assembly . . . . .                         | 8-16       |
| 8.4.3.7  | Electronics installation . . . . .                  | 8-17       |
| 8.4.3.8  | Magnet coil installation . . . . .                  | 8-17       |
| 8.4.4    | Alignment and survey (WBS 2.5.4) . . . . .          | 8-18       |
| 8.4.5    | Final checkout and validation . . . . .             | 8-18       |
| 8.5      | Future optimization and engineering . . . . .       | 8-19       |
|          | Chapter 8 References . . . . .                      | 8-20       |
| <b>9</b> | <b>Software and computing</b>                       | <b>9-1</b> |
| 9.1      | Overview . . . . .                                  | 9-1        |
| 9.2      | The current Fortran analysis code . . . . .         | 9-2        |
| 9.2.1    | Beam simulation . . . . .                           | 9-3        |
| 9.2.2    | Detector event simulation . . . . .                 | 9-5        |
| 9.2.2.1  | Interface to GNuMI flux . . . . .                   | 9-7        |
| 9.2.2.2  | NEUGEN: The MINOS event generator . . . . .         | 9-7        |
| 9.2.2.3  | Interface with NEUGEN . . . . .                     | 9-8        |
| 9.2.2.4  | Geometry . . . . .                                  | 9-9        |
| 9.2.2.5  | Tracking and hit storage . . . . .                  | 9-9        |
| 9.2.2.6  | Digitization . . . . .                              | 9-9        |
| 9.2.3    | Event reconstruction . . . . .                      | 9-9        |
| 9.2.3.1  | Demultiplexing and attenuation correction . . . . . | 9-10       |
| 9.2.3.2  | Vertex finding and event separation . . . . .       | 9-10       |
| 9.2.3.3  | Muon reconstruction . . . . .                       | 9-10       |
| 9.2.3.4  | Shower energy and angle determination . . . . .     | 9-12       |
| 9.2.3.5  | Event identification . . . . .                      | 9-12       |
| 9.2.3.6  | Graphics . . . . .                                  | 9-13       |
| 9.2.4    | Code management . . . . .                           | 9-14       |
| 9.2.4.1  | Code manager/librarian . . . . .                    | 9-14       |

|           |  |             |
|-----------|--|-------------|
| 9.2.4.2   | MINOS software repository . . . . .                              | 9-14        |
| 9.2.4.3   | Software development and distribution using CVS . . . . .        | 9-14        |
| 9.2.5     | Requirements to complete the Fortran offline system . . . . .    | 9-15        |
| 9.3       | The OO alternative . . . . .                                     | 9-15        |
| 9.3.1     | Motivation . . . . .   | 9-15        |
| 9.3.2     | Requirements for an OO alternative . . . . .                     | 9-17        |
| 9.3.2.1   | Training . . . . .   | 9-17        |
| 9.3.2.2   | CASE tools . . . . .   | 9-17        |
| 9.3.2.3   | Commercial packages . . . . .                                    | 9-17        |
| 9.3.2.4   | An OO version of the offline system . . . . .                    | 9-18        |
| 9.4       | CPU and storage requirements . . . . .                           | 9-18        |
| 9.4.1     | Far detector . . . . .   | 9-19        |
| 9.4.2     | Near detector . . . . .  | 9-20        |
| 9.4.3     | Monte Carlo simulation . . . . .                                 | 9-21        |
| 9.4.4     | Summary of cpu and storage requirements . . . . .                | 9-22        |
| 9.5       | Data processing model . . . . .                                  | 9-22        |
| 9.6       | Summary . . . . .  | 9-24        |
|           | Chapter 9 References . . . . .                                   | 9-25        |
| <b>10</b> | <b>Use of Soudan 2 in MINOS</b>                                  | <b>10-1</b> |
| 10.1      | Overview . . . . .   | 10-1        |
| 10.2      | The Soudan 2 detector . . . . .                                  | 10-1        |
| 10.3      | Soudan 2 as a complement to the 5.4 kt detector . . . . .        | 10-3        |
| 10.4      | Unique capabilities of Soudan 2 . . . . .                        | 10-5        |
|           | Chapter 10 References . . . . .                                  | 10-6        |
| <b>11</b> | <b>The hybrid emulsion detector</b>                              | <b>11-1</b> |
| 11.1      | Overview . . . . .   | 11-1        |
| 11.1.1    | Sensitivity of a low background appearance experiment . . . . .  | 11-1        |
| 11.1.2    | Progress in emulsion and automatic analysis techniques . . . . . | 11-1        |
| 11.1.3    | The principle of the emulsion experiment . . . . .               | 11-2        |
| 11.1.4    | A modular, extensible design . . . . .                           | 11-2        |
| 11.2      | Physics potential . . . . .                                      | 11-4        |
| 11.2.1    | Event rates . . . . .  | 11-4        |
| 11.2.2    | Tau neutrino detection efficiency . . . . .                      | 11-4        |
| 11.2.3    | Background rejection . . . . .                                   | 11-4        |
| 11.2.4    | Electron identification capability . . . . .                     | 11-4        |
| 11.2.5    | Oscillation discovery potential . . . . .                        | 11-5        |
| 11.3      | Module construction . . . . .                                    | 11-5        |
| 11.3.1    | Target planes . . . . .  | 11-5        |
| 11.3.2    | Emulsion tracker . . . . .                                       | 11-6        |
| 11.3.3    | Packaging . . . . .  | 11-6        |
| 11.4      | Trigger and event localization detectors . . . . .               | 11-6        |
| 11.4.1    | Iarocci tubes . . . . .  | 11-7        |
| 11.4.2    | System layout . . . . .  | 11-7        |

|   |             |
|---|-------------|
| 11.4.3 Design of an 8 cell module . . . . .                   | 11-7        |
| 11.5 Detector construction . . . . .                          | 11-8        |
| 11.5.1 Honeycomb construction . . . . .                       | 11-8        |
| 11.5.2 Detector support structure . . . . .                   | 11-10       |
| 11.5.3 Space requirements . . . . .                           | 11-11       |
| 11.5.4 Module assembly factory . . . . .                      | 11-11       |
| 11.5.5 Near detector . . . . .                                | 11-11       |
| 11.6 Research and development program . . . . .               | 11-11       |
| 11.6.1 Nuclear emulsion optimization . . . . .                | 11-12       |
| 11.6.2 Evaluation of the Soudan environment . . . . .         | 11-12       |
| 11.6.3 Optimization of the emulsion sheets geometry . . . . . | 11-13       |
| 11.6.4 Construction techniques . . . . .                      | 11-13       |
| 11.6.5 Measurement of backgrounds . . . . .                   | 11-14       |
| Chapter 11 References . . . . .                               | 11-15       |
| <b>12 Safety considerations</b>                               | <b>12-1</b> |
| 12.1 Fermilab ES&H requirements . . . . .                     | 12-1        |
| 12.2 Minnesota ES&H requirements . . . . .                    | 12-1        |
| 12.3 Description of hazards . . . . .                         | 12-2        |
| 12.3.1 Mechanical hazards . . . . .                           | 12-2        |
| 12.3.2 Electrical hazards . . . . .                           | 12-2        |
| 12.3.3 Radiation hazards . . . . .                            | 12-2        |
| 12.3.4 Fire hazards . . . . .                                 | 12-3        |
| 12.3.5 Laser hazards . . . . .                                | 12-3        |
| 12.4 Public access . . . . .                                  | 12-3        |
| 12.5 Summary . . . . .  | 12-3        |
| Chapter 12 References . . . . .                               | 12-4        |
| <b>13 Cost and schedule summaries</b>                         | <b>13-1</b> |
| 13.1 Detector scope . . . . .                                 | 13-1        |
| 13.2 Cost estimate summary . . . . .                          | 13-1        |
| 13.3 Schedule summary . . . . .                               | 13-3        |
| 13.4 Manpower resources . . . . .                             | 13-3        |
| Chapter 13 References . . . . .                               | 13-3        |
| <b>A Glossary</b>   | <b>A-1</b>  |